## Red Lake County

musym	muname	slope_r	slopelen_r_feet
B109A	Bowstring and Fluvaquents soils, mlra 88, 0 to 2 percent slopes, frequently flooded	1	151
B200A	Garnes fine sandy loam, 0 to 3 percent slopes	2	151
B201A	Chilgren fine sandy loam, 0 to 2 percent slopes	1	151
B202A	Cathro muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
B203A	Northwood muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
B204A	Roliss loam, mlra 88, 0 to 2 percent slopes	1	151
B205A	Berner muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
B206A	Hamre muck, depressional, mlra 88, 0 to 1 percent slopes	1	151
I10A	Clearwater mucky clay loam, depressional, 0 to 1 percent slopes	1	151
I11A	Deerwood muck, 0 to 1 percent slopes	1	151
I12A	Eckvoll loamy fine sand, 0 to 3 percent slopes	2	151
I13A	Espelie fine sandy loam, 0 to 2 percent slopes	1	151
I14B	Fairdale silt loam, 1 to 6 percent slopes, occasionally flooded	4	151
I14D	Fairdale silt loam, 6 to 15 percent slopes, occasionally flooded	11	. 75
I15A	Flaming loamy fine sand, 0 to 3 percent slopes	2	151
I16F	Fluvaquents, frequently flooded-Hapludolls complex, 0 to 30 percent slopes	1	151
I17A	Foldahl fine sandy loam, 0 to 3 percent slopes	2	151
I18A	Foldahl loamy fine sand, 0 to 3 percent slopes	2	151
I19A	Foxhome sandy loam, 0 to 3 percent slopes	2	151
I1A	Augsburg loam, 0 to 2 percent slopes	1	151
120A	Foxlake loam, 0 to 2 percent slopes	1	151
I21A	Fram loam, 1 to 3 percent slopes	2	151
I22A	Glyndon loam, 0 to 2 percent slopes	1	151
123A	Glyndon very fine sandy loam, 0 to 2 percent slopes	1	151
124A	Grimstad fine sandy loam, 0 to 3 percent slopes	2	151
125A	Hamar loamy fine sand, 0 to 2 percent slopes	1	151
126A	Hamerly loam, 0 to 2 percent slopes	2	151
127A	Hamre muck, 0 to 1 percent slopes	1	151
128A	Hangaard sandy loam, 0 to 2 percent slopes	1	151
129A	Hattie clay, 0 to 3 percent slopes	2	151
129D	Hattie clay, 6 to 18 percent slopes	12	. 75
I2A	Augsburg very fine sandy loam, 0 to 2 percent slopes	1	151

130A	Hedman loam, 0 to 2 percent slopes	1	151
131A	Hedman-Fram complex, 0 to 3 percent slopes	1	151
132A	Hilaire fine sandy loam, 0 to 3 percent slopes	2	151
133A	Hilaire loamy fine sand, 0 to 3 percent slopes	2	151
134A	Huot fine sandy loam, 0 to 3 percent slopes	2	151
135A	Karlsruhe sandy loam, 0 to 3 percent slopes	2	151
136A	Kittson loam, 0 to 3 percent slopes	2	151
137A	Kratka and Strathcona soils, depressional, 0 to 1 percent slopes.	1	151
137A 138A	Kratka fine sandy loam, 0 to 2 percent slopes	1	151
139A	Linveldt fine sandy loam, 0 to 3 percent slopes	2	151
I3A	Berner muck, 0 to 1 percent slopes	1	151
140B	Maddock loamy fine sand, 1 to 6 percent slopes	4	151
140F	Maddock loamy fine sand, 12 to 30 percent slopes	21	75
141A	Markey muck, 0 to 1 percent slopes	1	151
141A 142A	Markey muck, ponded, 0 to 1 percent slopes	1	151
142A 143A	Mavie fine sandy loam, 0 to 2 percent slopes	1	151
144A	Newfolden loam, 0 to 3 percent slopes	2	151
145A	Northwood muck, 0 to 1 percent slopes	1	151
146A	Pits, gravel and sand	_	0
147A	Poppleton fine sand, 0 to 2 percent slopes	1	151
148A	Radium loamy sand, 0 to 3 percent slopes	2	151
149A	Rauville silty clay loam, 0 to 2 percent slopes	1	151
I4A	Berner, Rosewood, and Strathcona soils, seepy, 0 to 2 percent slopes	1	151
150A	Reiner fine sandy loam, 0 to 3 percent slopes	2	151
151A	Reiner loamy fine sand, 0 to 3 percent slopes	2	151
151A	Reis-Clearwater complex, 0 to 2 percent slopes	1	151
153A	Roliss loam, 0 to 2 percent slopes	1	151
154A	Roliss loam, depressional, 0 to 1 percent slopes	1	151
155A	Rosewood fine sandy loam, 0 to 2 percent slopes	1	151
156A	Rosewood-Venlo complex, 0 to 1 percent slopes	1	151
157B	Sandberg-Radium complex, 1 to 6 percent slopes	4	151
158A	Seelyeville muck, 0 to 1 percent slopes.	1	151
159A	Smiley loam, 0 to 2 percent slopes	1	151
159A 15A	Borup loam, 0 to 2 percent slopes	1	151
15A	Borup Tourn, o to 2 percent stopes	1	131

160A	Smiley mucky loam, depressional, 0 to 1 percent slopes	1	151
161A	Strandquist loam, 0 to 2 percent slopes	1	151
162A	Syrene sandy loam, 0 to 2 percent slopes	1	151
163A	Thiefriver fine sandy loam, 0 to 2 percent slopes	1	151
164A	Ulen fine sandy loam, 0 to 3 percent slopes	2	151
165A	Ulen loamy fine sand, 0 to 3 percent slopes	2	151
166A	Vallers loam, 0 to 2 percent slopes	1	151
167A	Wheatville loam, 0 to 3 percent slopes	1	151
168A	Wheatville very fine sandy loam, 0 to 3 percent slopes	2	151
169A	Wyandotte clay loam, o to 2 percent slopes	1	151
I6A	Borup very fine sandy loam, 0 to 2 percent slopes	1	151
170A	Strathcona fine sandy loam, 0 to 2 percent slopes	1	151
I7A	Bowstring-Fluvaquents complex, 0 to 2 percent slopes, frequently flooded	1	151
I8A	Cathro muck, 0 to 1 percent slopes	1	151
I9A	Clearwater clay, 0 to 2 percent slopes	1	151
M-W	Miscellaneous water		0
W	Water		0